

	MG MG MULAN	MG MG MULAN	MG MG MULAN	MG MG MULAN	MG MG MULAN	MG MG MULAN	MG MG MULAN
Basic Vehicle Parameters	425km administrative version	425km Fashion Edition	425km Deluxe Edition	425km Ultimate Edition	520km Deluxe Edition	520km Ultimate Edition	460km four-wheel drive Triumph
level:	compact car	compact car	compact car	compact car	compact car	compact car	compact car
Body form:	5-door 5-seater hatchback	5-door 5-seater hatchback	5-door 5-seater hatchback	5-door 5-seater hatchback	5-door 5-seater hatchback	5-door 5-seater hatchback	5-door 5-seater hatchback
Length x width x height (mm):	4287x1836x1516	4287x1836x1516	4287x1836x1516	4287x1836x1516	4287x1836x1516	4287x1836x1516	4287x1836x1516
Wheelbase (mm):	2705	2705	2705	2705	2705	2705	2705
Power type:	pure electric	pure electric	pure electric	pure electric	pure electric	pure electric	pure electric
The maximum power of the vehicle (kW):	125	125	125	125	150	150	315
The maximum torque of the vehicle (N m):	250	250	250	250	250	250	600
Official maximum speed (km/h):	160	160	160	160	160	160	200
Official 0-100 acceleration(s):	-	-	-	-	-	-	3.8
Fast charging time (hours):	0.47	0.47	0.47	0.47	0.38	0.38	0.38
Slow charging time (hours):	7	7	7	7	9	9	9
Ministry of Industry and Information Technology's pure electric cruising range (km):	425	425	425	425	520	520	460
body							
Length (mm):	4287	4287	4287	4287	4287	4287	4287
Width (mm):	1836	1836	1836	1836	1836	1836	1836
Height (mm):	1516	1516	1516	1516	1516	1516	1516
Wheelbase (mm):	2705	2705	2705	2705	2705	2705	2705
Number of doors (a):	5	5	5	5	5	5	5
Number of seats (pieces):	5	5	5	5	5	5	5
Curb weight (kg):	1641	1641	1641	1641	1665	1665	1825
Approach angle (°):	16	16	16	16	16	16	16
Departure angle (°):	27	27	27	27	27	27	27
engine							
electric motor							
Ministry of Industry and Information Technology's pure electric cruising range (km):	425	425	425	425	520	520	460
Motor type:	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW):	125	125	125	125	150	150	315
Motor total torque (N m):	250	250	250	250	250	250	600
Number of motors:	1	1	1	1	1	1	2
Motor layout:	rear	rear	rear	rear	rear	rear	front + rear
Maximum power of the front motor (kW):	-	-	-	-	-	-	150

The maximum power of the rear motor (kW):	125	125	125	125	150	150	165
Maximum torque of the rear motor (N m):	250	250	250	250	250	250	-
Battery type:	Lithium iron phosphate battery	Lithium iron phosphate battery	Lithium iron phosphate battery	Lithium iron phosphate battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery capacity (kWh):	51	51	51	51	64	64	64
Power consumption per 100 kilometers (kWh/100km):	13.3	13.3	13.3	13.3	13.3	13.3	-
Charging Compatibility:	Dedicated charging pile + public charging pile	Dedicated charging pile + public charging pile	Dedicated charging pile + public charging pile	Dedicated charging pile + public charging pile	Dedicated charging pile + public charging pile	Dedicated charging pile + public charging pile	Dedicated charging pile + public charging pile
charging method:	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge
Fast charging time (hours):	0.47	0.47	0.47	0.47	0.38	0.38	0.38
Slow charging time (hours):	7	7	7	7	9	9	9
Quick charge capacity (%):	80	80	80	80	80	80	80
gearbox							
Number of gears:	1	1	1	1	1	1	1
Gearbox type:	single speed electric car	single speed electric car	single speed electric car	single speed electric car	single speed electric car	single speed electric car	single speed electric car
chassis steering							
Drive mode:	rear drive	rear drive	rear drive	rear drive	rear drive	rear drive	Dual motor four-wheel drive
Transfer case (four-wheel drive) type:	-	-	-	-	-	-	Electric four-wheel drive
Body structure:	Unibody	Unibody	Unibody	Unibody	Unibody	Unibody	Unibody
Power Steering:	electric assist	electric assist	electric assist	electric assist	electric assist	electric assist	electric assist
Front Suspension Type:	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension
Rear Suspension Type:	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
wheel brake							
Front Brake Type:	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake Type:	Disc	Disc	Disc	Disc	Disc	Disc	Disc
Parking Brake Type:	electronic handbrake	electronic handbrake	electronic handbrake	electronic handbrake	electronic handbrake	electronic handbrake	electronic handbrake
Front tire specifications:	215/50 R17	215/60 R16	215/50 R17	215/50 R17	215/50 R17	215/50 R17	235/45 R18
Rear Tire Specifications:	215/50 R17	215/60 R16	215/50 R17	215/50 R17	215/50 R17	215/50 R17	235/45 R18
Hub material:	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Spare tire specifications:	tire repair tool only	tire repair tool only	tire repair tool only	tire repair tool only	tire repair tool only	tire repair tool only	tire repair tool only
safety equipment							
Airbag for main/passenger seat:	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●
Front/rear side airbags:	front ●/back-	-	front ●/back-	front ●/back-	front ●/back-	front ●/back-	front ●/back-
Front/rear head curtain air:	-	-	-	Front ●/Back ●	-	Front ●/Back ●	Front ●/Back ●

Tips for not fastening the seat belt:	•	•	•	•	•	•	•
ISO FIX child seat interface:	•	•	•	•	•	•	•
Tire pressure monitoring device:	•Tire pressure display	•Tire pressure display	•Tire pressure display	•Tire pressure display	•Tire pressure display	•Tire pressure display	•Tire pressure display
Automatic anti-lock braking (ABS, etc.):	•	•	•	•	•	•	•
brake force distribution (EBD/CBC, etc.):	•	•	•	•	•	•	•
brake assist (EBA/BAS/BA, etc.):	•	•	•	•	•	•	•
traction control (ASR/TCS/TRC, etc.):	•	•	•	•	•	•	•
vehicle stability control (ESP/DSC/VSC etc.):	•	•	•	•	•	•	•
Lane Departure Warning System:	-	-	-	•	-	•	•
Lane Keeping Assist:	-	-	-	•	-	•	•
Road traffic sign recognition:	-	-	-	•	-	•	•
Active braking/active safety system:	-	-	-	•	-	•	•
Automatic parking:	•	•	•	•	•	•	•
Uphill assist:	•	•	•	•	•	•	•
Central locking in the car:	•	•	•	•	•	•	•
remote key:	•	•	•	•	•	•	•
Keyless start system:	•	•	•	•	•	•	•
Keyless entry system:	•	•	•	•	•	•	•
Body function/configuration							
Skylight type:	-	-	-	oNon-openable panoramic sunroof	-	oNon-openable panoramic sunroof	•Non-openable panoramic sunroof
Sport Appearance Package:	-	-	-	•	-	•	•
Remote start function:	•	•	•	•	•	•	•
In-Car Features/Configuration							
Steering wheel material:	•Leather	•Plastic	•Leather	•Leather	•Leather	•Leather	•Leather
Steering wheel position adjustment:	•up and down •front and back	•up and down •front and back	•up and down •front and back	•up and down •front and back	•up and down •front and back	•up and down •front and back	•up and down •front and back
Multifunction steering wheel:	•	•	•	•	•	•	•
Front/rear parking sensor:	front/back •	front/back •	front/back •	front/back •	front/back •	front/back •	front/back •
Driving assistance video:	•360-degree panoramic image	-	•360-degree panoramic image	•360-degree panoramic image	•360-degree panoramic image	•360-degree panoramic image	•360-degree panoramic image
Cruise system:	•Cruise control	•Cruise control	•Cruise control	•Full speed adaptive cruise	•Cruise control	•Full speed adaptive cruise	•Full speed adaptive cruise

USB/Type-C interface:	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row
Number of speakers (units):	●4 speakers	●4 speakers	●4 speakers	●6 speakers	●4 speakers	●6 speakers	●6 speakers
lighting configuration							
Low beam light source:	●LED	●LED	●LED	●LED	●LED	●LED	●LED
High beam light source:	●LED	●LED	●LED	●LED	●LED	●LED	●LED
Daytime running lights:	●	●	●	●	●	●	●
Adaptive far and near light:	-	-	-	●	-	●	●
Headlights turn on and off automatically:	●	●	●	●	●	●	●
Headlight height adjustable:	●	●	●	●	●	●	●
Windows and mirrors							
Front/rear electric windows:	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Window one-button lift function:	●Full vehicle	●Driving seat	●Full vehicle	●Full vehicle	●Full vehicle	●Full vehicle	●Full vehicle
Window anti-pinch function:	●	●	●	●	●	●	●
Exterior mirror function:	●Electric adjustment ●Electric folding ●Rearview mirror heating ●Automatic folding when locking the car	-	●Electric adjustment ●Electric folding ●Rearview mirror heating ●Automatic folding when locking the car	●Electric adjustment ●Electric folding ●Rearview mirror heating ●Automatic folding when locking the car	●Electric adjustment ●Electric folding ●Rearview mirror heating ●Automatic folding when locking the car	●Electric adjustment ●Electric folding ●Rearview mirror heating ●Automatic folding when locking the car	●Electric adjustment ●Electric folding ●Rearview mirror heating ●Automatic folding when locking the car
Interior rearview mirror function:	●Manual anti-glare	●Manual anti-glare	●Manual anti-glare	●Manual anti-glare	●Manual anti-glare	●Manual anti-glare	●Manual anti-glare
Interior vanity mirror:	●Private seat ●Copilot seat	●Private seat ●Copilot seat	●Private seat ●Copilot seat	●Private seat ●Copilot seat	●Private seat ●Copilot seat	●Private seat ●Copilot seat	●Private seat ●Copilot seat
air conditioner/refrigerator							
Air conditioner temperature control method:	●Automatic air conditioner	●Automatic air conditioner	●Automatic air conditioner	●Automatic air conditioner	●Automatic air conditioner	●Automatic air conditioner	●Automatic air conditioner
PM2.5 filter or pollen filter:	●	-	●	●	●	●	●
color							
Optional body color	High cool gray Floral Blue Turn back green road turn powder knight silver China red Zhong Yi Bai	High cool gray Floral Blue Turn back green road turn powder knight silver China red Zhong Yi Bai	High cool gray Floral Blue Turn back green road turn powder knight silver China red Zhong Yi Bai	High cool gray Turn back green Floral Blue Zhong Yi Bai knight silver China red road turn powder	High cool gray Turn back green Floral Blue Zhong Yi Bai knight silver China red road turn powder	High cool gray Floral Blue Turn back green road turn powder knight silver China red Zhong Yi Bai	High cool gray Floral Blue Turn back green road turn powder knight silver China red Zhong Yi Bai
Available interior colors	elegant black black/minimalist gray Retro red/white machine	elegant black	elegant black black/minimalist gray	black/minimalist gray elegant black Black/Mech Green	black/minimalist gray elegant black	elegant black black/minimalist gray Black/Mech Green	elegant black Retro red/white machine